

## Refine Search

### Search Results -

Terms	Documents
L43 and @pd > 20071108	0

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:






### Search History

DATE: Saturday, March 01, 2008    [Purge Queries](#)    [Printable Copy](#)    [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
	<i>DB=TDBD,DWPI,JPAB,EPAB,USOC,USPT,PGPB; PLUR=YES; OP=OR</i>		
<u>L44</u>	L43 and @pd > 20071108	0	<u>L44</u>
<u>L43</u>	ALLEN-ROBERT-D!	65	<u>L43</u>
<u>L42</u>	HILL-B-M!	20	<u>L42</u>
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L41</u>	(fortran or cobol or C++ or Visual near Basic or C) and L40	50	<u>L41</u>
<u>L40</u>	L38 and L39	78	<u>L40</u>
<u>L39</u>	(integrat\$3 with (ejb or enterprise near java near beans))	253	<u>L39</u>
<u>L38</u>	L34 or L35 or L36 or L37	61248	<u>L38</u>
<u>L37</u>	(719/311  719/312  719/313  719/314  719/315  719/316  719/317  719/318  719/328  719/330  719/331  719/332).ccls.	5609	<u>L37</u>
<u>L36</u>	(715/733  715/734  715/740  715/749).ccls.	1218	<u>L36</u>
<u>L35</u>	(709/201  709/202  709/203  709/204  709/205  709/206  709/207  709/213  709/214  709/215  709/216  709/217  709/218  709/219).ccls.	29004	<u>L35</u>

<u>L34</u>	(707/1  707/2  707/3  707/4  707/5  707/6  707/7  707/8  707/9  707/10).ccls.	29749	<u>L34</u>
<u>L33</u>	L32 and ((function or method) near call)	60	<u>L33</u>
<u>L32</u>	L31 and (ejb or enterprise near java near beans)	122	<u>L32</u>
<u>L31</u>	(client or browser) near2 (fortran or cobol or C++ or Visual near Basic or C)	5209	<u>L31</u>
<u>L30</u>	(request or message or call access\$3 or retriev\$3) near servlet with (key or identif\$6)	41	<u>L30</u>
<u>L29</u>	servlet with ((stor\$3 or sav\$3) near call)	9	<u>L29</u>
<u>L28</u>	servlet with ((stor\$3 or sav\$3) near ((function or method) near call))	0	<u>L28</u>
<u>L27</u>	client near library with (key or session near (identi\$6 or ID))	13	<u>L27</u>
<u>L26</u>	@pd<20020912 and L25	37	<u>L26</u>
<u>L25</u>	L20 and L24	368	<u>L25</u>
<u>L24</u>	(client or browser) with (fortran or cobol or C++ or Visual near Basic or C)	16903	<u>L24</u>
<u>L23</u>	(api or interface near application or dll or librar\$3) and L22	83	<u>L23</u>
<u>L22</u>	@pd<20020912 and L21	97	<u>L22</u>
<u>L21</u>	http and L20	1416	<u>L21</u>
<u>L20</u>	((fortran or cobol or C++ or Visual near Basic or C) and (EJB or enterprise near java near beans))	2353	<u>L20</u>
<u>L19</u>	((fortran or cobol or C++ or Visual near Basic or C) and (EJB or enterprise near java near beans)).ab,ti.	26	<u>L19</u>
<u>L18</u>	http and L17	42	<u>L18</u>
<u>L17</u>	(integrat\$3 near2 (ejb or enterprise near java near beans))	64	<u>L17</u>
<u>L16</u>	@pd<20020912 and L15	22	<u>L16</u>
<u>L15</u>	(ejb or enterprise near java near beans) and L14	185	<u>L15</u>
<u>L14</u>	(integrat\$3 near2 (vb or c++ or c or fortran or cobol or legacy))	13047	<u>L14</u>
<u>L13</u>	(integrat\$3 near2 (vb or c++ or c or fortran or cobol or legacy)) with (ejb or enterprise near java near beans)	4	<u>L13</u>
<u>L12</u>	(ejb or enterprise near java near bean) and L11	38	<u>L12</u>
<u>L11</u>	client with (conver\$4 or translat\$3 or transform\$4) with (http near (request or message or response))	247	<u>L11</u>
<u>L10</u>	client near librar\$3 with (conver\$4 or translat\$3 or transform\$4) with (http near (request or message or response))	0	<u>L10</u>
<u>L9</u>	L7 and L8	18	<u>L9</u>
<u>L8</u>	(client or browser) same ((non or "not" or no) near java)	201	<u>L8</u>
<u>L7</u>	(pars\$3 and (conver\$4 or translat\$3)) with (reply or result or response)	2758	<u>L7</u>
<u>L6</u>	(pars\$3 and (conver\$4 or translat\$3)) with response	983	<u>L6</u>
<u>L5</u>	(reply or result or response) near (pars\$3 or (conver\$3 or translat\$3)) and L4	30	<u>L5</u>
<u>L4</u>	(reply or result or response) and L3	234	<u>L4</u>
<u>L3</u>	(ejb or enterprise near bean) and L2	235	<u>L3</u>
<u>L2</u>	pars\$3 and (conver\$4 or translat\$3) and L1	5705	<u>L2</u>
<u>L1</u>	(browser or client) with ("not" or no or non\$ljava)	33648	<u>L1</u>

END OF SEARCH HISTORY